

Material Safety Data Sheet TEMPO® ULTRA WP INSECTICIDE

MSDS Number: 102000016285 MSDS Version 2.0 Revision Date: 02/26/2007

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name TEMPO® ULTRA WP INSECTICIDE

MSDS Number 102000016285 **EPA Registration No.** 432-1304

Bayer Environmental Science 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)

For Product Information call: 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
beta-Cyfluthrin	68359-37-5	10.00
Quartz (Silica, Crystalline)	14808-60-7	3.95
Sodium lignosulphonate	8061-51-6	4.00

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Moderate eye irritation. Harmful if swallowed, inhaled or absorbed

through the skin. Do not get in eyes, on skin, or on clothing. Avoid breathing dust

or spray mist.

Physical State powder

Appearance tan

Routes of Exposure Eye contact, Skin Absorption, Skin contact, Inhalation

Immediate Effects

Eye Moderate eye irritation. Do not get in eyes.

Skin May cause transient skin redness. May cause skin irritation. May cause a

transient, localized paresthesia, characterized by tingling, burning or numbness sensation in some individuals. Harmful if absorbed through skin. Do not get in

eyes, on skin, or on clothing.



Material Safety Data Sheet TEMPO® ULTRA WP INSECTICIDE

MSDS Number: 102000016285 MSDS Version 2.0

Ingestion Harmful if swallowed. Do not take internally.

Inhalation May cause irritation of the mucous membranes. Avoid breathing dust or spray

mist. Harmful if inhaled.

Chronic or Delayed

Long-Term

This product is not listed as a carcinogen by ACGIH, NTP, IARC or OSHA. However, it may contain crystalline silica (quartz), a substance which has been listed as a carcinogen by ACGIH, NTP and IARC. Crystalline silica is a naturally-occurring mineral component of many sands and clays. Although the

carcinogenic potential of crystalline silica in humans is controversial, it must be considered if it is inhaled under excessive exposure conditions. The respirable portion of the silica that may be contained in this product, however, is small, such that inhalation exposure during anticipated conditions of use is minimal.

Medical Conditions
Aggravated by Exposure

No specific medical conditions are known which may be aggravated by exposure to this product. As with all materials which can cause upper respiratory tract irritation, persons with a history of asthma, emphysema, or hyperreactive airways disease may be more susceptible to overexposure. Pulmonary and respiratory diseases may be aggravated by exposure to respirable crystalline silica.

Potential Environmental

Effect

Highly toxic to bees. Toxic to fish.

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a

poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately

with plenty of water for at least 15 minutes. Call a physician or poison control

center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give

water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an

unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or

poison control center immediately.

Notes to Physician

Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment

as indicated by the patient's condition is recommended.



Material Safety Data Sheet TEMPO® ULTRA WP INSECTICIDE

MSDS Number: 102000016285 MSDS Version 2.0

SECTION 5. FIRE FIGHTING MEASURES

Flash point not applicable

Suitable Extinguishing

Media

Water, Dry chemical

Fire Fighting Instructions

Keep out of smoke. Fight fire from upwind position. Do not allow run-off from fire

fighting to enter drains or water courses.

Wear self-contained breathing apparatus and protective suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid dust formation. Do not breathe dust. Isolate hazard area. Keep

unauthorized people away. Avoid contact with spilled product or contaminated

surfaces.

Methods for Cleaning Up Sweep up or vacuum up spillage and collect in suitable container for disposal.

Clean contaminated floors and objects thoroughly, observing environmental regulations. Contaminated soil may have to be removed and disposed.

Additional Advice Do not allow to enter soil, waterways or waste water canal. Use personal

protective equipment.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and local

exhaust ventilation.

Storing Procedures Protect from freezing.

Store in a cool, dry place and in such a manner as to prevent cross

contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Work/Hygienic Procedures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove soiled clothing immediately and clean thoroughly before using again.

Wash thoroughly and put on clean clothing.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Wash

thoroughly and put on clean clothing.



Material Safety Data Sheet TEMPO® ULTRA WP INSECTICIDE

MSDS Number: 102000016285 MSDS Version 2.0

Min/Max Storage Temperatures Do not transport or store above 38 °C / 100 °F

The 30-day storage temperature average must not exceed the recommended

maximum.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow all label instructions. Train employees in safe use of the product.

Do not allow children or pets to enter the treated area until it has dried.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash

PPE separately from other laundry.

Eye/Face Protection Goggles

Hand Protection Chemical resistant nitrile rubber gloves

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection When respirators are required, select NIOSH approved equipment based on

actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Quartz (Silica, Crystalline)

14808-60-7

ACGIH

TWA

0.05 mg/m3

Form of exposure Respirable fraction.

ACGIH NIC TWA 0.025 mg/m3

Form of exposure Respirable fraction.

NIOSH REL 0.05 mg/m3

Form of exposure Respirable dust.

OSHA Z1A TWA 0.1 mg/m3

Form of exposure Respirable dust.

Z3 TWA 2.4 millions of particles

per cubic foot of air

Form of exposure Respirable.

Remarks The value is calculated from

a specified equation using a value of 100%. Values lower than 100% will give higher exposure limits. See regulation for specific

equation.

Z3 TWA 0.1 mg/m3

Form of exposure Respirable.

Remarks The value is calculated from

a specified equation using a



Material Safety Data Sheet TEMPO® ULTRA WP INSECTICIDE

MSDS Number: 102000016285 MSDS Version 2.0

value of 100%. Values lower than 100% will give higher exposure limits. See regulation for specific

equation.

Z3 TWA 0.3 mg/m3

Form of exposure Total dust.

Remarks The value is calculated from

a specified equation using a value of 100%. Values lower than 100% will give higher exposure limits. See regulation for specific

0.1 mg/m3

0.3 mg/m3

5 mg/m3

equation.

Respirable dust.

US CA OEL TWA PEL

Form of exposure

US CA OEL TWA PEL

Form of exposure Total dust.

OSHA Z1 PEL

Form of exposure

OSHA Z1 PEL

Respirable fraction.

15 mg/m3

Form of exposure Total dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance tan

Physical State powder

Bulk Density 19 - 26 lb./cu.ft.

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended storage conditions.

Conditions to Avoid Exposure to moisture.

Heat, flames and sparks.

Incompatibility Bases

methanol

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity studies have not been performed on TEMPO ULTRA WP containing beta-cyfluthrin, the enriched isomer mixture of the active ingredient, cyfluthrin. The acute toxicology information has been bridged from a similar formulation containing a higher percentage of the active ingredient, cyfluthrin. The non-acute information pertains to the technical-grade active ingredient, beta-cyfluthrin.



Material Safety Data Sheet TEMPO® ULTRA WP INSECTICIDE

MSDS Number: 102000016285 MSDS Version 2.0

Further toxicological information on technical-grade cyfluthrin can be obtained by calling the Product Information Number, which is listed in Section 1 of this MSDS.

Acute Oral Toxicity male rat: LD50: 3,084 mg/kg

female rat: LD50: 1,733 mg/kg

rabbit: LD50: > 2,000 mg/kg **Acute Dermal Toxicity**

Acute Inhalation Toxicity rat: LC50: > 1.18 mg/l

Exposure time: 4 h

Determined in the form of dust.

rat: LC50: > 4.72 mg/l Exposure time: 1 h

Determined in the form of dust. Extrapolated from the 4 hr LC50.

Skin Irritation rabbit: Mild skin irritation.

Eye Irritation rabbit: Mild eye irritation.

Sensitization guinea pig: Non-sensitizing.

Assessment Carcinogenicity

ACGIH

Quartz (Silica, Crystalline) 14808-60-7 Group A2

NTP

Quartz (Silica, Crystalline) 14808-60-7

IARC

Overall evaluation: 1 Quartz (Silica, Crystalline) 14808-60-7

OSHA None.

Reproductive &

DEVELOPMENTAL TOXICITY: Beta-cyfluthrin was not a primary developmental **Developmental Toxicity** toxicant in rats. Developmental effects were observed but were considered

secondary to maternal toxicity.

Neurotoxicity Beta-cyfluthrin produced slight transient neurobehavioral effects in acute,

subchronic and developmental neurotoxicity screening studies in rats. These effects occurred at the highest dose tested and without correlating morphological

changes in the neural tissues.

Mutagenicity Beta-cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo

tests.

SECTION 12. ECOLOGICAL INFORMATION



Material Safety Data Sheet TEMPO® ULTRA WP INSECTICIDE

MSDS Number: 102000016285 MSDS Version 2.0

Environmental Precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Pesticide wastes are hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal

Do not re-use empty containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION:

Not regulated for Domestic Surface Transportation

FREIGHT CLASSIFICATION:

Insecticides or Fungicides, N.O.I., other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1304

US Federal Regulations

TSCA list

Quartz (Silica, Crystalline) 14808-60-7 Sodium lignosulphonate 8061-51-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

SARA Title III - Section 313 - Toxic Chemical Release Reporting

beta-Cyfluthrin 68359-37-5 1.0%



Material Safety Data Sheet TEMPO® ULTRA WP INSECTICIDE

MSDS Number: 102000016285 MSDS Version 2.0

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Quartz (Silica, Crystalline) 14808-60-7

This product does not contain any substances known to the State of California to cause reproductive

harm.

US State Right-To-Know Ingredients

beta-Cyfluthrin 68359-37-5 NJ

Quartz (Silica, Crystalline) 14808-60-7 IL, MA, MN, RI

Canadian Regulations

Canadian Domestic Substance List

Quartz (Silica, Crystalline) 14808-60-7 Sodium lignosulphonate 8061-51-6

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

beta-Cyfluthrin 68359-37-5 Quartz (Silica, Crystalline) 14808-60-7

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Reactivity - 1 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated for general editorial purposes. Updated due to new system and numbering scheme.

Revision Date: 02/26/2007

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.